

07.2025

33,49	+	4,60
	-	



Spring test acc. to DIN ISO 2859/1 test level II

1 Coiling direction ☐ left ☒ right	4 Stress cyc. end. N	10 Tolerances to DIN 2097 <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Grade</th> <th>De,Di,D</th> <th>L0</th> <th>F0-Fn</th> <th>Loops</th> <th>Wire diameter d to DIN 2076</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td rowspan="3" style="text-align: center; vertical-align: middle;"> d to DIN 2076 </td> </tr> <tr> <td>2</td> <td>☒</td> <td>☒</td> <td>☒</td> <td>☒</td> </tr> <tr> <td>3</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> </tbody> </table>	Grade	De,Di,D	L0	F0-Fn	Loops	Wire diameter d to DIN 2076	1	☐	☐	☐	☐	 d to DIN 2076	2	☒	☒	☒	☒	3	☐	☐	☐	☐				
Grade	De,Di,D	L0	F0-Fn	Loops	Wire diameter d to DIN 2076																							
1	☐	☐	☐	☐	 d to DIN 2076																							
2	☒	☒	☒	☒																								
3	☐	☐	☐	☐																								
2 Loop shape and loop position Loop shape 1/1 German loop Loops offset to one another by 180,0 + 18,0 degrees (in the dir. of the right helix)	5 Stress cycle frequ. n /	6 Application temp. °C																										
3 Excursion sh mm	7 Material 1.4310	11 Production compensation through <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td style="width: 80%;">A spring resistance, associated length of tensed spring and L0</td> <td style="width: 20%;">F0, D ☒</td> </tr> <tr> <td>A spring resistance, associated length of tensed spring and F0</td> <td>L0, n, d ☐ L0, D ☐</td> </tr> <tr> <td>Two spring resistances and associated length of tensed spring</td> <td>L0, n, d ☐ F0,D ☐</td> </tr> </tbody> </table>	A spring resistance, associated length of tensed spring and L0	F0, D ☒	A spring resistance, associated length of tensed spring and F0	L0, n, d ☐ L0, D ☐	Two spring resistances and associated length of tensed spring	L0, n, d ☐ F0,D ☐																				
A spring resistance, associated length of tensed spring and L0	F0, D ☒																											
A spring resistance, associated length of tensed spring and F0	L0, n, d ☐ L0, D ☐																											
Two spring resistances and associated length of tensed spring	L0, n, d ☐ F0,D ☐																											
8 Wire or rod surface ☒ drawn ☐ rolled ☐ metal-cut		9 Surface treatment 																										
Remarks Származási ország: DE Vámtarifaszám: 73202085																												
Prices <table style="width: 100%;"> <thead> <tr> <th style="text-align: left;">Mennyiségi lépcsők</th> <th style="text-align: left;">Egységár (EUR)</th> </tr> </thead> <tbody> <tr><td>1</td><td>6,2300 €</td></tr> <tr><td>2</td><td>3,9200 €</td></tr> <tr><td>3</td><td>2,5300 €</td></tr> <tr><td>7</td><td>2,1100 €</td></tr> <tr><td>17</td><td>1,0500 €</td></tr> <tr><td>37</td><td>0,6800 €</td></tr> <tr><td>75</td><td>0,5300 €</td></tr> <tr><td>125</td><td>0,4970 €</td></tr> <tr><td>175</td><td>0,4834 €</td></tr> <tr><td>250</td><td>0,4713 €</td></tr> <tr><td>350</td><td>0,4452 €</td></tr> <tr><td>450</td><td>0,4355 €</td></tr> </tbody> </table>			Mennyiségi lépcsők	Egységár (EUR)	1	6,2300 €	2	3,9200 €	3	2,5300 €	7	2,1100 €	17	1,0500 €	37	0,6800 €	75	0,5300 €	125	0,4970 €	175	0,4834 €	250	0,4713 €	350	0,4452 €	450	0,4355 €
Mennyiségi lépcsők	Egységár (EUR)																											
1	6,2300 €																											
2	3,9200 €																											
3	2,5300 €																											
7	2,1100 €																											
17	1,0500 €																											
37	0,6800 €																											
75	0,5300 €																											
125	0,4970 €																											
175	0,4834 €																											
250	0,4713 €																											
350	0,4452 €																											
450	0,4355 €																											